ISSN: 2717-5014 (Print). Available online at www.recast.tu.edu.np

DOI: https://doi.org/10.3126/asta.v1i1.30276



Review Article

COVID-19 Ayurveda treatment protocol of governments of Nepal and India: a review and perspective

¹Ram Deo Pandit, ²and Rakesh Kumar Singh

Received: May 15, 2020; Accepted: June 14, 2020; Published: June 25, 2020

Abstract: SARS-CoV-2 originated in Wuhan city of China in Dec 2019, was named COVID-19 and declared pandemic by WHO. Conventional system of medicine is seen proving ineffective in its treatment. The first case of COVID-19 was confirmed on 23rd January 2020 in Nepal and on 30th January 2020 in India. SARS, MERS and COVID-19 in China were effectively managed through Traditional System of Medicine (TSM). Glycyrrhizin like active component of medicinal herbs potentially inhibit virus replication and bear antiviral property. Government of Nepal and India released a treatment protocol for COVID-19. Protocols have taken COVID-19 on the basis of *Dosha*, *Dhatu*, *Mala*, etc. The symptoms of COVID-19 resembles to *Kapha-Vata-Samasargaj-Jawara* with *Pitta* association (i.e. *Sannipataj-Jawara*). For foreign etiology of COVID-19 Ayurveda considers it *Rakshayadi-Prakopa-Janya-Janapado-udhamsha* and deployed management accordingly. Good immunity is important factor for arresting or preventing the disease, which can be achieved by regular administration of *Rasayanas*. The physician should not treat any COVID-19 infected patient without safety precautions or without informing the local authorities. Clinical researches on individual and poly herbal drugs in the protocol should be taken into series of clinical trials to test its effectiveness against COVID-19 and discover the pharmacology and prove its effectiveness and establish it among global scientific community.

Keywords: COVID-19; Ayurveda, Govt. of India, Govt. of Nepal, treatment protocol

सारांश: सन् २०१९ को डिसेम्बरमा चीनको बुहान शहरमा पहिलो पटक देखा परेको सार्स कोभ-२ वा कोभिड-१९ नामक रोगलाई विश्व स्वास्थ संगठनले वैश्विक महामारीको रूपमा घोषणा गर्यो । प्रचलनमा रहेका चिकित्सा पद्धती यस रोगको उपचारमा निष्प्रभावी सावित भईरहेको छ । यस रोगबाट संक्रमित पहिलो रोगी नेपालमा २३ जनवरी सन् २०२० मा र भारतमा ३० जनवरी सन् २०२० मा भेटिएका थिए । चीनमा परम्परागत चिकित्सा पद्धितद्वारा सार्स, मर्स तथा कोभिड-१९ को प्रभावकारी उपचारात्मक व्यवस्थापन गरिएको थियो । औषधीय गुण भएको वनस्पतिहरुमा हुने ग्लाईसीराईजिन जस्तो सिक्रय तत्वले भाईरसको रेप्लिकेसनलाई निषेध गर्दछ भन्ने धेरै दृष्टान्तहरु छन । नेपाल सरकार र भारत सरकारले यस रोगको चिकित्साका लागि उपचार विधि सार्वजानिक गरेको छ । उक्त विधिपत्रमा यस रोगलाई त्रिदोष, धातु मल आदिको आधारमा विश्लेषण गरिएको छ । कोभिड-१९ को लक्षणहरूको समानता पित्तसँगै, कफ-वात-संसर्गज-ज्वर (सिन्त्याज ज्वर) सँग मिल्ने देखिन्छ । आयुर्वेदको दृष्टिले कोभिड-१९ को शरीर बाहिरको कारण भनेको राक्षसादि प्रकोपजन्य जनपदोउध्वशं मानिएको छ र सोही अनुसार उपचार विधि सिफारिस गरिएको छ । यस रोगलाई नियन्त्रण गर्नको लागि राम्रो व्याधिक्षमत्व (ईम्युनिटि) महत्वपूर्ण हुन्छ, जुन दैनिक रुपमा उचित प्रकारको रसायनको सेवन गरेर मात्र प्राप्त गर्न सिकन्छ । सुरक्षात्मक विधिहरु नअपनाईकन वा स्थानीय निकायलाई जानकारी निदर्इकन कोभिड-१९ का रोगीहरुलाई चिकित्सकले उपचार थाल्नु हुँदैन । सरकारी उपचार विधिपत्रमा उल्लेख भएका एकल र मिश्रित औषधीहरुलाई पटक पटक क्लिनिकल ट्रायल एवं अनुसन्धान गरी वनस्पतिहरुको प्रभावकारीतालाई परिक्षण गर्नुपर्छ । र ती वनस्पतिहरुको प्रशावकारीतालाई परिक्षण गर्नुपर्छ । र ती वनस्पतिहरुको प्रशावकारीतालाई परिक्षण गर्नुपर्छ ।

¹ Patanjali Ayurveda Medical College and Research Centre (PAMCRC), Kathmandu, Nepal

² Brahmabhumi Health Research Centre, Sarlai, Nepal

^{*} Corresponding author, E-mail: dr.ramdeopandit@gmail.com;+977-9851016229 © RECAST/TU

1. Introduction

In December 2019, there was an outbreak of unexplainable pneumonia in Wuhan city, Hubei province, China (Gralinski and Menachery, 2020). By Jan 7, 2020, it was confirmed that a new type of coronavirus named SARS-CoV-2 (formerly named as 2019-nCoV) had emerged (Burki, 2020). The World Health Organization (WHO) named the pneumonia originated in Wuhanas Coronavirus Disease-2019 (COVID-19) on Feb 11, 2020 (Ghebreyesus, 2020). The COVID-19 patients showed typical respiratory symptom (such as cough, fever, and lung damage) and some other symptoms such as fatigue, myalgia, and diarrhea (Guan et al., 2020; Huang et al., 2020). The first case of COVID-19 was confirmed on 23rd January 2020 in Nepal (Ministry of Health and Population [MoHP], 2020) and on 30thJanuary 2020 in India (Khanna, 2020). As of June 1, 2020 a total of 1798 cases of the SARS-CoV-2 infected pneumonia has been reported in Nepal and 197862,970 cases in India. The disease has since spread to 185 countries and regions, with 1,97, 862 6 057 853 cases confirmed cases globally and 371,166 deaths as of June 1, 2020 (World Health Organization [WHO] International, 2020).

2. Materials and methods

All the relevant literatures including classical Ayurvedic texts with their commentaries and electronic data base including Google scholar, PubMed, different government health agencies websites, Google search were searched to collect the relevant data by using the key words- corona virus disease, COVID-19, Ayurveda, *Janapadodhwamsa*, Traditional medicine, WHO, immunity, and *Rasayana* etc.

3. COVID-19 as per Ayurveda Protocol of GoN

Ayurveda and Alternative Medicine Guidelines of Preventive Measures and Management Protocol for COVID-19 in Nepal quotes that like in modern medicine, direct description of COVID-19 disease is not available in Ayurveda literatures. Ayurveda has its own philosophical and principal basis for understanding diseases like COVID-19. Ayurveda does not focus on the microbiological etiology. It deals newly detected diseases on the basis of its principles like Dosha, Dhatu, Mala, involvement. Based on the same principle, the protocol has been can developed be developed through sign and symptoms of COVID-19.

Report of the WHO-China Joint Mission on Coronavirus Disease 2019 (COVID-19) that Symptoms of COVID-19 are non-specific and the disease presentation can range from no symptoms (asymptomatic) to severe pneumonia and death. As of 20 February 2020 and based on 55924 laboratory

confirmed cases, typical signs and symptoms include: fever(87.9%), dry cough (67.7%), fatigue (38.1%), sputum production (33.4%), shortness of breath(18.6%), sore throat (13.9%), headache (13.6%), myalgia or arthralgia (14.8%), chills (11.4%)nausea or vomiting (5.0%), nasal congestion (4.8%), diarrhea (3.7%), and hemoptysis (0.9%)and conjunctival congestion (0.8%).

Generally 98% patients were having mild to moderate fever (Jwara), 76% were having cough (Kasa) and 44% were having myalgia (Anga-marda) and fatigue (Tandra). Among those developed pneumonia, 99% were having fever (Jwara), 70% were having fatigue (Tandra), 59% dry cough (Vatika-kaasa), 40% having anorexia (Aruchi), 35% having myalgia (Anga-marda), 31% having dyspnea (Shwaasa) and 27% were having sputum production (Kaphaja-kaasa) (Shastri and Chaturvedi, 2027). All these signs and symptoms has been considered in the purview of Ayurveda classics as well as the COVID-19 as a Kapha-vata Samsargaja Jwara with Pitta association in the beginning and hence indicating the status of Sannipata Jwara (Mishra, 2015; Tarkiba, 2052).

The proposal juxtaposes that due to compromised immunity (Rogi-bala), the coexisting Pitta, even mild is causing Syandana and Shoshana (Ojha et at., 1885) in the chest progressively, which can't be resisted by the body. This process can be technically described as a Dhaatu-paaka, a deregulated host response, from the context of Sannipaataja Jwara (Mishra, 2015). This results in the rapid instability of Oius leading to sepsis and eventually septic shock. Because of the Syandana and Shoshana property of intervening *Pitta*, the *Jwara* may end up in the fatal forms of Sannipaataja Jwara; of which two special fevers worth mention-Vata predominant Sannipaataja Jwara titled as Visphaarak (Tripathi, 1999) and Vata-kapha predominant Sannipaata Jwara titled Sheekhrakaari (Shastri, 2018). Along with the change in the nature of *Jwara* and *Shwasa* which was previously a feature, later it becomes prominent as a complication (*Upadrava*).

COVID-19 like unknown diseases can be understood with Ayurveda in following three ways: *Vikara-Prakriti* (Natural history of Disease); *Adhisthan* (Site of pathological process) and *Samuthaana Visesha* (etiological features) (Paradakara, 2011). In the same way the COVID-19 pathogenesis has been described as:

- a. *Vikara-Prakriti* (Natural history of Disease): *Rakshasadi-Prakopa-janya Janapada-udhwamsa*.
- b. *Adhisthan* (Site of pathological process): Suspected as *Koshta* itself, but the manifestation happens in *Urah* (Ayurveda Campus-Institute of Medicine [AC-IOM], 2020).
- c. Samuthaana-Visesha (etiological features):

Pragyaparaadha. Predisposing factors such as the old age and co-morbidities, deteriorated *Rogi-bala* and instability of *Ojus* (Department of ayurveda and alternative medicines [DoAaAM], 2020).

Proposal has referred COVID-19 as *Aagantuja-vikara* (derangement due to foreign factors) (Singh, 2011) and suggested its management along with *Nija-vikara* (derangement due to bodily factors). Derangement due to bodily factors is also managed along with AagantujaVikara (Acharya, 2000).

In Ayurveda complications of Jwara (Fever) are considered to be as Swasa (Difficulty in breathing), Murcha (unconsciousness), Hikka (Hiccough), Kasa (Cough), Angamardha (Body-ache) which are the symptoms of COVID-19 too. So, in the line of Jwara-chikitsa COVID-19 can be managed (Prasad, 2001). COVID-19 can also induce severe complications like bilateral lungs pneumonia and organ failure conditions which is considered as Jwara-vyapada indicating difficulty management (WHO-China, 2019).

On the basis of vigilant study of disease origin, progress along with its cardinal sign and symptoms treatment protocol for patient has been shaped. COVID-19 has been assumed to progress through following clinical stages (*Kriya-kaal*):

Stage I: Kapha-vata Sannipata-jwara

Stage II: Aggravation of the already existing situation

SatageIII: The stage of initiation of *Dhatupaka*, due to unchecked activity of the *pitta dosha*

Stage IV: Dhatupaka proceeds and Swasa coming forwards as an Upadrava and

Stage V: Sannipatajwara titled as Vispharaka or manifests and becomes fatal which needs technological support along with Aatyayika-chikitsa (emergency treatment) (AC-IOM, 2020).

Based on the symptoms of COVID-19, different types of *Sannipataja-jwara-awastha* (Tripathi, 1999) can be observed in the form of stages enlisted in the protocol. If the fever and the symptoms get relief in the duration indicated then the patient recovery is good but if the fever and symptoms persists even after the duration of 14, 18 and 22 days in each type the complication arise and the patient suffered by pneumonia and may die (Tripathi, 1999).

4. COVID-19 curative protocol by GoN and GoI

Ayurveda is highly valued by Government of India (GoI) and Government of Nepal (GoN) in their campaign to contain and eradicate COVID-19. They though worthwhile to associate with other stakeholders in eliciting Ayurveda based public health response considering the strength and evidences of the system.

For it GoI and GoN has officially declared that Traditional System of Medicine (TSM) should be

used in combination with conventional medicine in the treatment of COVID-19 patients. Above that GoI has officially declared clinical trail on some herbs and drugs. GoN is also trying to move forward in the direction of clinical trial in respect to preventive and Interdisciplinary curative approach. and Development Task Force Research formulated and designed clinical research protocols for prophylactic studies and add-on interventions in COVID-19 positive cases thorough review and consultative process of experts of high repute from different organizations across the country for four different studving interventions Ashwagandha, Yashtimadhu (Mulethi), Guduchi +Pippali (Giloy) and a poly herbal formulation. AYUSH ministry is to carry this research in collaboration with Council of Scientific and Industrial Research (CSIR) (Ministry of AYUSH, 2018).

Government of Nepal (GoN), Department of Ayurveda and Alternative Medicine in collaboration with Nepal Ayurvedic Medical Council (NAMC) and Ayurveda Campus and Teaching Hospital (ACTH) released 'Ayurveda and Alternative Medicine Guidelines of Preventive Measures and Management Protocol for COVID-19' on 26th April 2020 (DoAaAM, 2020). Similar Advisory from Ministry of AYUSH GoI was released on 24th March 2020 (Ministry of AYUSH, 2020).

The curative part of this protocol include the pragmatic advisory plan for interventions using Ayurveda Medicine. The protocols have graded response depending on the stage of infection and proximity with disease among individuals in a population is proposed.

Preventive and rehabilitative guidelines as well as other systems of medicines management protocol for COVID-19 are also advised in the advisory of GoN and GoI but the area of this study is only Ayurveda curative protocol.

The COVID-19 Curative protocol of GoN in different stages is as follows.

A. Stage 0: Patients with positive case of COVID-19 having no symptoms. *Trikatu-churna* 2 gm twice a day with lukewarm water or with *Dashmoola* or *Pathyadi-kwatha*. *Sudarshana-churna* 3 gm twice a day with lukewarm water, *Samsamni-vati* or *Giloyaghan-vati* 2 tablet twice a day with lukewarm water have been advised for 7 days.

In addition to this *Rasayana* treatment for 15-30 days is advised with the use of. *Ashwagandha* powder/capsule 3gm/1-2 tablet twice a day with lukewarm water, *Brahmi-vati/* powder/ tablet 3gm/1-2 tab twice a day with lukewarm water, *Chyavanaprash* one tea spoon full twice a day (sugar free for diabetic patients) and use lukewarm water.

- B. Stage 1. *Kapha-vata Sannipataj-jwara* (Patients with positive case of COVID-19 having mild symptoms: mild fever, mild cough, no breathlessness).
- (I) For the management of *Ama-jwara* (Shastri, 2018), in primary stage with *langhana* by any one from following drugs; when symptoms persist from 5-7 days. *Shunthijal* whenever necessary, *Shadang-paniya* whenever necessary, *Chitrakadi-vati* two tablet twice a day with lukewarm water before meal.

Besides that *Trikatu-churna* 2gm twice a day with lukewarm water or with *Dashmoola or Pathyadi-kwatha*, *Sudarshana Churna* 3gm twice a day with lukewarm water, *Talisadi* or *Sitopladi-Churna* 2gm twice a day with lukewarm water, *Samsamni-vati* or *Giloyaghan-vati* two tablet twice a day with lukewarm water have been indicated for 7-15 days.

Also *Rasayana* therapy for 15-30 days has been suggested to apply. The drugs are *Ashwagandha-Churna*/Capsule 3gm/1-2 tablet twice a day with lukewarm water, *Chyavanaprash* one tea spoonful twice a day (sugar free for diabetic patients).

- C. Stage 2: Kapha-Vata Sannipaataja-jwara (patients with positive case of corona virus including all symptoms of corona together with conventional treatment but not in ventilator) Advice for such patient management is on the basis of principles via Jwara-shamana, Kapha-Shamana, Vata-anulomanaand protection of Rogi-bala in five different steps of treatment.
- (II) Management of *Dosha-pachana* following treatment is stated which is to be started from beginning of the symptoms. *Trikatu-Churna* (Kaushik, 2018) 2 gm twice a day with lukewarm water or *Dashmoola or Pathyadi-kwatha* (Abraham et al., 2018), *Sudarshana-churna* (Shukla, 2020) 3gm twice a day with lukewarm water, *Samsamni-vati* or *Giloyaghan-vati* (Kapil and Sharma, 1997) 2 tablet twice a day with lukewarm water.
- (III) After 7 days of symptoms, leading to *Madhya jwara*, following intake as its management is advised i.e, *Talisadi* (Bhut et al., 2017) (for dry cough) or *Sitopladi-churna* (for productive cough) (Makhija, 2011) 3-5 gm with *Yastimadhu-kwatha* (Singh, 2016) or appropriate *anupan* twice a day (warm decoction), Tablet *Shanjeevani-vati* (Sharma et al., 2018) 250mg twice a day with lukewarm water, Tablet *N. Laxmivilasa-rasa* (Quader et al., 2013) 60 mg twice a day with lukewarm water.

Additional drugs have also been considered in the treatment as *Mrigamadasav* (Tarkiba, 2052) for children 1-5 yrs 6-10 drops thrice a day and for adult 10-20 drops thrice a day with lukewarm water or honey, *Guduchi-kwath* (Tripathi, 1999) 40-80 ml twice a day, *Yashtimadu-kwath* (Ben-Shabat et al., 2019) 40-80 ml BD.

(IV) At *Pakwa Stage*: Aggravation of the already existing situation (COVID-19 positive with specific symptoms at moderate level)

Management Guideline is Jwara-shamana, Kapha-shamana, Vata-anulomana, protection of Rogi-bala, particularly important in geriatric and those with co-morbidities. Also Kaphanissaraka management is thought to be needed for 5 to 7 days with Talisadi (for dry cough) or Sitopladi-churna (for productive cough) 3-5 gm with Yastimadhukwatha or appropriate anupan twice a day (warm decoction), Chitraka-haritaki (Singh and Singh, 2015) or Kantakari-avaleha (Gupta and Prajapati, 2011) Itea spoon full twice a day with lukewarm water, Lavangadi-vati (Shilpa and Prashanth, 2017) 1-2 tablet suck 4-6 times a day, Amritarishta (Shastri, 1993) 15- 30 ml twice a day with equal amount of water after meal.

Also some additional drugs can be adopted, Kankasav (Shastri, 1993) 15- 30 ml twice a day equal amount of water after Tribhuvankirti-ras (Shastri, 1993) 125-250 mg twice a day with lukewarm water, Shatyadi-kwath (Tripathi, 1999) (Kachoor, Pushkarmool, Kantakarimool, Karkatshringi, Duralabha, Guduchi, Shunthi, Patha, Kirattikta, Kutaki all in equal amount) 40- 80 ml twice a day, Kirattikta or Mahasudarshan-kwath 40-80 ml twice a day.

- (V) For *Rasayana* therapy *Ashwagandha-churna*/Capsule (Suresh et al., 2006) 3gm/1-2 tab twice a day with lukewarm water; *Brahmi-vati* or *Churna*/ Tablet (Calabrese et al., 2008) 3gm/1-2 tab twice a day with lukewarm water; *Chyavanaprash* (Manjunatha et al., 2001) 1 tea spoon full twice a day (sugar free for diabetic patients).
- D. STAGE 3: *Dhatu-paaka* and *Swasa* coming forwards as an *Upadrava* (Complications due to unchecked activity of the *Pitta Dosha*) (COVID-19 positive with severe symptoms with respiratory distress etc. and progressive towards fatality)

Management guideline is described as Jwarashamana, medicines Dhatu-paaka, to stop medications for broncho-dilation and expectoration, protection of Rogi-bala in a more potent and aggressive manner. Special procedures enlisted in Sannipataja-jwara-prakaran need to be applied. Kankasav15- 30 ml twice a day with equal amount of water after meal, Tribhuvankirti rasa 125-250 mg twice a day with lukewarm water, Shatyadi-kwath (Kachoor, Pushkarmool, Kantakarimool, Karkatshringi, Duralabha, Guduchi, Shunthi, Patha, Kirattikta, Kutaki all in equal amount) 40- 80 ml twice a day, Kirattikta or Mahasudarshan-kwath 40-80 ml twice a day are to be used.

Rasayana therapy based on Kapha in Urasthana or according to the age Ashwagandha Churna/Capsule 3gm/1-2 tablet twice a day with

lukewarm water, *Brahmi-vati*or *Churna*/ Tablet 3gm/1-2 tab twice a day with lukewarm water, *Chyavanaprash* 1 tea spoon full twice a day (sugar free for diabetic patients) is advised for 15-30 days.

- E. Stage 4: *Dhatupaka* proceeds and *Shwasa* coming forwards as an *Upadrava*. Management guideline is suggested same as above, but in a more potent and aggressive manner.
- F. Stage 5. Sannipaataj-jwara titled as Vispharakaor manifests and becomes fatal, is advised for technological support along with Aatyayika-chikitsaa (emergency support).
- G. Apparently healthy individual for immunity improving drugs like *Dashmoola* or *Pathyadikwatha* 40-80 ml twice a day, Tab *Samsamni-vati* or *Gilowghan-vati* 1-2 tablet twice a day with lukewarm water, *Ashwagandha-churna*/Capsule 3gm/1-2 tab twice a day with lukewarm water are suggested for 7-15 days.

Similarly, Government of India (GoI) released an advisory from ministry of AYUSH for meeting the challenge arising out of spread of corona virus (COVID-19) in India.

The Ministry of AYUSH approach to manage the outbreak broadly comprises of preventive and prophylactic with *Samshamani-vati* 500 mg twice a day with warm water for 15 days. The medicine contains aqueous extract of *Tinospora cordifolia*. The symptomatic management of COVID-19 like illnesses with *AYUSH-64,2* tablets twice a day; *Agasthya-hareetaki* 5 gm twice a day with warm water and *Anu-taila/Sesame* oil 2 drops in each nostril daily in the morning. As add on interventions to the conventional care *AYUSH-642* tablets twice a day, *Agastya-hareetaki* 5 gm twice a day with warm water is advised (Ayush Ministry, 2020).

5. Clinical evidences of Ayurveda drugs

According to the recent clinical guidelines in China and the experiences in the treatment of SARS or Middle East Respiratory Syndrome (MERS) patients, Traditional System of Medicine (TSM), herbs and its extracts similar to that of Ayurveda medicines were used for the treatment of patients with infection of SARS-CoV-2 in China yield good results (Li and De, 2019; Liu et al. 2004; Li and Peng 2013).

A high-profile research published in the Lancet reported that *glycyrrhizin*, a major active constituent liquorice root which is the most frequently used herb in China, potently inhibited the replication of clinical isolates of SARS virus (Cinatl et al., 2003).

Another independent study confirmed the antivirus activity of *glycyrrhizin* by plaque reduction assays and this study found that another Chinese herbal compound *baicalin* also had the anti-SARS activity (Chen et al., 2004).

These evidences show Ayurveda drugs are effective in viral infection treatment. Therefore the treatment protocols developed by GoN and GoI on 6th March 2020 may bring expected results in the treatment of COVID-19.

6. Standardization and safety

Poly-herbal combinations have also proven lastingly effective than single herbs. In Ayurveda, most of the classical preparations are poly-herbal, with a combination of even more than 50 drugs involved. These constituents are combined accurately, in such a way that the formula is balanced and reproducible. One or two of the plants in these combinations are active and the others play a supporting role. Each supporting herbs have different actions, acts as catalysts to help proper absorption, transportation, and reduce toxicity. If an ideal combination is delivered, then the result can be excellent, but such outcomes are based on thorough knowledge and experience on plants (Kumar et al., 2017).

The qualitative and quantities standardization issue appears with Ayurvedic drugs. The potency (phyto-chemical constituents) of the medicinal herbs depends with several factors, which can infer the effectiveness of the drugs efficacy (Tavhare and Nishteswar, 2014). Quantitative standardization of 2 gram or 3 gram of powder for administration in divided dose may infer the efficacy of the drug and the entire protocol. Ayurveda drugs presents odd tests and smell either in decoction and powder form, which may not be patient compliance and effect the efficacy (Verma et al., 2019).

All Ayurveda drugs in the protocol are advised to take by oro-pharyngeal or naso-laryngeal route only and no drug reach directly to systemic circulation by intravenous so the bioavailability of even most intense drugs may decrease after passing through alimentary canal. However, phyto-chemicals obtained from medicinal herbs are less harmful than chemical drugs. Also systematically purified herbomineral based Ayurvedic medicinesrelatively induce less adverse effect than pure chemical drugs (Karimi et al., 2015). The curative protocols for COVID-19 are based on herbal and herbo-mineral drugs which will definitely have less adverse effect than the antiviral, anti-malarial, anti-HIV and other chemical drugs and antibiotics being used for the through conventional system of medicine (Devaux et al., 2020).

7. Application opportunities and challenges

The protocols if implemented have enormous potentials to provide learning and innovative insights. One hundred and seventy members states of WHO acknowledged their use of Traditional,

Complementary Alternative (T&CAM) and Medicine since 2018. WHO traditional medicine strategy 2014–2023 has an objective to promote universal health coverage by integrating T&CAM services into health care service delivery and selfhealth care (WHO- international, 2014). After the productive application of presently advised protocol Ayurveda in managing COVID-19 will give global acceptance to Ayurveda medicine. Research arena in Ayurveda will ascend. Ayurveda will break its limit form non-communicable disease. Integration as future of medicine would come into effect.

Nepal and India is considered to be the native land of Ayurveda for which there is immense potential for Ayurveda education. Herbal resources of Nepal and India will be widely used and valued. Increased Ayurveda trade and business will highly contribute in gross domestic product (GDP) of Nepal specially. Many will get job opportunities in this sector contributing in the the countries to be prosperous (Pyakurel et al., 2019).

In the lack of virology laboratory and technology in Nepal, study of virology is quiet difficult and it will be a continuous process of research.. However application of Ayurveda protocol as substitute may not be difficult because of use of Ayurveda medicine is tradition in Nepal.

Nepal and India's common action plan for implementation of the protocol may further strengthen bilateral cooperation in health and research issues.

The protocols are more theoretically oriented and less on the proven previous similar researches. For successful implementation proper documentation is crucial. Documentation of key variables that are essential should be done on each case. Those variables should include age, gender, symptoms, geography, contact history, Ayurvedic diagnosis including Roga and Rogi-bala improvement examination, worsening or symptoms, Ayurvedic medicine(s) with dosage, final management, referral outcome of the secondary/tertiary care, symptoms controlled, cured, and mortality, if any. A follow-up advice upon discharge or stop of medications should also be documented (Rastogi et al., 2020).

Protocol is not only enough but a clear multisectorial cooperative implementation plan is required to put protocol into action in Nepal. In Nepal it is lacking but in India it is in priority. Ayurveda practitioners would require training in screening of the people for associated risk factors. They should also be equipped with modern personal protection equipment and access to diagnostic facilities.

Present system of health in Nepal and India is in 9. Conclusion professionals from domination health conventional system of medicine. For

implementation of the Ayurveda curative protocols for COVID-19 to bring unified policy will be needed. Application of Ayurveda curative protocol for pandemic like COVID-19 is very pioneer in Nepal and India for which basic set-ups as well as its promotion investment are required (Namburi et al., 2020).

Initially Ayurveda physicians should not treat any COVID-19 infected patient without without informing precautions or local authorities. Further, should follow the guidelines prescribed by WHO, Ministry of Health and Ministry of AYUSH time to time for arresting the pandemic COVID-19 infection

8. Discussion

Unlike microbial etiology in modern medicine Ayurveda undertakes COVID-19 on the basis of Dosha, Dhatu, Mala, etc. and deploys management accordingly. All the symptoms of COVID-19 resembles to Kapha-vata-samasargaj-jawara with Pitta association (i.e. Sannipataj Jawara). As external cause, irrespective of the physical, dietary and psychological factor cause of COVID-19 is due to Rakshayadi prakopa janya janapadoudhamsha. Majority formulations suggested in pragmatic are polyherbal. Sensibly combined non systematic route administered Ayurveda formulations are less toxic than modern chemical anti-virals and antibiotics. SARS and MERS were effectively managed through TSM. Glycyrrhizin like active component of medicinal herbs potentially inhibit virus replication and bear antiviral property.

In COVID-19 management, good immunity is important factor for arresting or preventing the disease, which can be achieved by regular administration of Rasayanas. Further, some of the Rasayana drugs like Guduchi and Pippali etc. are proved to be having antiviral effect and may have its direct role in diseased condition. The physician should not treat any COVID-19 infected patient without safety precautions or without informing the local authorities. Further, should follow the guidelines prescribed by WHO, Ministry of Health and Ministry of AYUSH time to time for arresting the pandemic COVID-19 infection

Clinical researches on each individual herbs which have not been studied is necessary. Besides that poly herbal drugs in the protocol should be taken into series of clinical trials to test its effectiveness against COVID19 and discover the pharmaco-clinical evidences and establish among scientific community.

Bringing Ayurveda protocol for the management the of COVID-19 is a step leap towards progress in

TSM in Nepal and India. Many challenges are there, however effort should be done step wise for its establishment among global scientific community. Clinical researches on each individual herbs prescribed in the protocol which have not been studied is to be done. Besides that poly herbal drugs in the protocol should be taken into series of clinical trials to test its effectiveness against COVID-19 and discover the pharmaco-clinical evidences and prove its effectiveness.

Immunity is vital factor for good outcome in the management of COVID-19 pandemic condition. The prevention /arrest of pandemic can be achieved by adopting proper food habits and life styles as well as regularly taking the *Rasayanas*. It is need of time to implement these principles in National health policies to make the Nation healthy. Further, numbers of herbo-mineral or mineral drugs mentioned in the classics of *Rasashatra*, which are practiced for various acute infections since ancient time. However, clinical trials need to be conducted on the basis of Ayurvedic parameters for generating scientific evidence on safety and efficacy of these drugs in COVID-19 infection for wider acceptance.

Authors' Contribution

RDP: manuscript drafting, RDP and RKS: editing, revising, and finalizing.

Conflicts of Interest

The authors declare no conflict of interest.

Ethical approval

Not applicable.

Availability of data and materials

Not applicable.

Funding

This research did not receive any specific grant from funding agencies in the public, commercial, or notfor-profit sectors.

References

- Abraham A, Samuel S, Mathew L. Phytochemical analysis of pathya-shadangam kwath and its standardization by HPLC and HPTLC. Journal of Ayurveda and integrative medicine[Internet]. 2018 Nov 13. DOI: 10.1016/j.jaim.2017.10.011
- Acharya YT, editor. Vimanasthana; Janapadodhwamsa vimanam: In Agnivesa Charaka Samhita revised by Charaka and Dridabala, commentary of Chakrapani Dutta. Varanasai: Chowkhamba Surabharati Prakashan; 2000 Reprint (Chapter 3, Verse 13-14.).
- Ayurveda Campus, Institute of Medicine, Tribhuvan University. Ayurveda guidelines of preventive measures and curative management protocol for COVID 19 in Nepal[Internet]; 2020. Available from: www.ayurvedacampus.edu.np/images/COVID-19-

- Guideline.pdf
- Ben-Shabat S, Yarmolinsky L, Porat D, Dahan A. Antiviral effect of phytochemicals from medicinal plants: Applications and drug delivery strategies. Drug Delivery and Translational Research. 2019 Dec 1:1-4. DOI: 10.1007/s13346-019-00691-6
- Bhut S, Auropremi M, Changle S. A review article on tamaka shwasa wsr to childhood asthma. World J Pharm Pharm Sci. 2017 Jun 4;6:537-50. DOI: 10.20959/wjpps20178-9796
- Burki TK. Coronavirus in China. The Lancet. Respiratory Medicine[Internet]. 2020 Mar 8(3):238. DOI: 10.1016/s2213-2600(20)30056-4.
- Calabrese C, Gregory WL, Leo M, Kraemer D, Bone K, Oken B. Effects of a standardized Bacopa monnieri extract on cognitive performance, anxiety, and depression in the elderly: a randomized, double-blind, placebo-controlled trial. The journal of alternative and complementary medicine. 2008 Jul 1; 14(6):707-13. DOI: 10.1089/acm.2008.0018
- Chen F, Chan KH, Jiang Y, Kao RY, Lu HT, Fan KW, et al. In vitro susceptibility of 10 clinical isolates of SARS coronavirus to selected antiviral compounds. J Clin Virol.2004; 31: 69-75. DOI:10.1016/j.jcv.2004.03.003
- Cinatl J, Morgenstern B, Bauer G, Chandra P, Rabenau H, Doerr HW. Glycyrrhizin, an active component of liquorice roots, and replication of SARS-associated coronavirus. The Lancet [Internet]. 2003; 361: 2045-6. DOI:10.1016/S0140-6736(03)13615-X
- Department of ayurveda and alternative medicines, Ayurveda guidelines of preventive measures and curative management protocol for COVID 19 in Nepal 2020. Available from: https://doaa.gov.np/notices/ayurveda-and-alternative-medicine-guidelines-of-preventive-measures-and-management-protocol-for-covid-19-in-nepal-prepared-by/
- Devaux CA, Rolain JM, Colson P, Raoult D. New insights on the antiviral effects of chloroquine against coronavirus: what to expect for COVID-19?[published online ahead of print March 12, 2020]. Int J Antimicrob Agents [Internet]. DOI:10.1016/j.ijantimicag. 2020.105938
- Ghebreyesus TA, WHO-international, Director general's remarks at the media briefing on 2019-nCoV on 2020 Feb 11. Available from: www.who.int/dg/speeches/detail/who-director-general-s-remarks-at-the-media-briefing-on-2019-ncov-on-11-february-2020
- Gralinski LE, Menachery VD. Return of the corona virus: 2019-nCoV viruses. 2020 Feb 12(2):135. DOI:10.3390/v12020135
- Guan WJ, Ni ZY, Hu Y, Liang WH, Ou CQ, He JX, Liu L, Shan H, Lei CL, Hui DS, Du B. Clinical characteristics of 2019 novel coronavirus infection in China. MedRxiv [Internet]. 2020 Jan 1. DOI: 10.1101/2020.02.06.20020974
- Gupta A, Prajapati PK. Effect of different Avaleha in the management of tamaka shwasa (bronchial asthma). Ayu. 2011 Jul; 32(3):427. DOI: 10.4103%2F0974-8520.93928
- Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, Zhang L, Fan G, Xu J, Gu X, Cheng Z. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. The lancet [Internet]. 2020 Feb 15;395(10223):497-506. DOI: 10.1016/S0140-6736(20)30183-5
- Jyotirmoy S, Rekha SD. Concept of epidemic diseases in ayurveda. International Journal of Health Rresearch and

- Medico Legal Practice. 2016 Jan 1;2:24-28. DOI: 05.2016-96658645
- Kapil A, Sharma S. Immunopotentiating compounds from Tinospora cordifolia. Journal of ethnopharmacology[Internet]. 1997 Oct 1;58(2):89-95. DOI: 10.1016/S0378-8741(97)00086-X
- Karimi A, Majlesi M, Rafieian-Kopaei M. Herbal versus synthetic drugs; beliefs and facts. Journal of nephropharmacology. 2015;4(1):27. PMID: 28197471
- Kaushik R. Trikatu. A combination of three bioavailability enhancers. International Journal of Green Pharmacy 2018 Nov 6:12(03). 10.22377/ijgp.v12i03.2002
- Khanna RC, Cicinelli MV, Gilbert SS, Honavar SG, Murthy GS. COVID-19 pandemic: lessons learned and future directions. Indian Journal of Ophthalmology[Internet]. 2020 May 1;68(5):703. DOI: 10.4103/ijo.IJO_843_20
- Kumar S, Dobos GJ, Rampp T. The significance of ayurvedic plants. medicinal Journal of evidence-based complementary and alternative medicine[Internet]. 2017 Jul;22(3):494-501. DOI: 10.1177/2156587216671392
- Li G, De Clercq E. Therapeutic options for the 2019 novel coronavirus (2019-nCoV). DOI: 10.1038/d41573-020-00016-0
- Li T, Peng T. Traditional Chinese herbal medicine as a source of molecules with antiviral activity. Antiviral Res[Internet]. 2013: 97: 1-9. DOI:10.1016/j.antiviral.2012.10.006
- Liu J, Manheimer E, Shi Y, Gluud C. Chinese herbal medicine for severe acute respiratory syndrome: a systematic review and meta-analysis. J Altern Complement Med.[Internet].2004; 10: 1041-51. DOI: 10.1089/acm.2004.10.1041
- Makhija IK, Ram HA, Shreedhara CS, Kumar SV, Devkar R. In vitro antioxidant studies of sitopaladi churna, a polyherbal ayurvedic formulation. Free Radicals and Antioxidants[Internet]. 2011 Apr 1;1(2):37-41. DOI:10.5530/ax.2011.2.8
- Manjunatha S, Jaryal AK, Bijlani RL, Sachdeva U, Gupta SK. Effect of chyawanprash and vitamin C on glucose tolerance and lipoprotein profile. Indian journal of physiology and pharmacology[Internet]. 2001 Jan; 45(1):71-9. PMID: 11211574
- Ministry of AYUSH. Advisory for meeting the challenge arising out of spread of corona virus CoViD19 in India 2020. Available from: www.ayush.gov.in/docs/125.pdf
- Ministry of AYUSH. General guidelines for clinical evaluation of ayurveda interventions -volume III, Central for Research in Avurvedic Government of India, New Delhi. 2018. Available from: https://www.ayush.gov.in/docs/clinical_evaluation.pdf And https://health.ncog.gov.in/ayush-covid-dashbaord/#
- Ministry of health and population (MoHP). Corona virus disease (COVID-19) outbreak updates and resource materials. Situation report #1. 2020 Jan 28. Available from: https://covid19.mohp.gov.np/#/(SitRep#1)
- Mishra BP. Haritakyadivarga. In Bhavaprakash Nighantu with commentary by Chunekar KV, Pandey GS. 2015 (pp. 25). Chaukhambha Orientalia, Varanasi, India.
- Mishra BP. Haritakyadivarga. In Bhavaprakash Nighantu with commentary by Chunekar KV, Pandey GS. 2015 (pp. 209). Chaukhambha Orientalia, Varanasi, India.
- Mishra BP. Haritakyadivarga. In Bhavaprakash Nighantu: with commentary by Chunekar KV, Pandey GS. 2015 (pp.122). Chaukhambha Orientalia, Varanasi India.
- Namburi URS, Jadhav S, Kumar S, Hadole S. COVID-19: an Singh VK, Singh NK. Physico-chemical and phytochemical

- applied intervention through ayurveda. Int J Ayu Pharm Res [Internet]. 2020 May 6;8(4):23-4. Available from: https://ijapr.in/index.php/ijapr/article/view/1445
- Ojha J, Mishra U, Dhanvantari Nighantu: with hindi translation and commentary 1885 (Verse 59), Department of Dravyaguna, Institute of Medical Sciences, Banaras Hindu University, Varanasi, India
- Paradakara HSS. editor. Sutra Sthana, Doshabhediya. In Ashtangahridaya of Vagabhatta: with commentaries of Sarvangasundara of Arundatta and Ayurvedarasayana of Hemadri 2011 (pp 206). Chaukhamba Surbharti Prakashan, Varanasi, India
- Prasad PV. JWARA (fever)- a medico historical perspective. Bull Indian Inst Hist Med Hyderabad. 2001 Jul-Dec; 31(2):103-25. PMID: 12841176.
- Pyakurel D, Smith-Hall C, Bhattarai-Sharma I, Ghimire SK. Trade and conservation of Nepalese medicinal plants, fungi, and lichen. Economic Botany[Internet]. 2019:1-7. DOI: 10.1007/s12231-019-09473-0
- Quader SH, Islam SU, Saifullah AR, Majumder FU, Hannan JM. Evaluation of the antinociceptive and antiinflammatory activities of the ethanolic extract of Barringtonia acutangula Linn. (lecythidaceae) roots. Int J Pharmaceutical Sci Rev Res[Internet]. 2013; 20(2):2432.
- Rastogi S, Pandey DN, Singh RH, COVID-19 Pandemic: A pragmatic plan for ayurveda intervention, Journal of Ayurveda and Integrative Medicine[Internet]. 2020 Apr 23 DOI:10.1016/ j.jaim.2020.04.002.
- Sharma R, Sharma R. A Comparative antipyretic efficacy of aqueous extract and alcoholic extract of sanjeevani vati in textual dose WSR to jwar: An In-Vivo Study. Journal of Ayurveda[Internet].2018 Jan; 12(1). from https://www.journalofayurveda.in/uploads/newissues/JO
 - A-XII-January-March-2018-1VIUbdrUvt1JEO9Db.pdf
- Shastri KN, Chaturvedi GN, editor (reprint). Chikitsa-sthana hikka-swas-chikitsadyaya. In Agniveśa: Caraka Samhitā with Vidyotini hindi commentary 2027 B.S. Chaukhamba Bharati Academy, Varanasi.
- Shastri L. editor. Jwara Chikitsa. In Yoga Ratnakara 2018 (pp 251-253). Chaukhamba Prakashan, Varanasi
- Shastri RD. editor. Bhaisajaya Ratnawali: Shastri Dutta Ambiak 1999.13th edition. Chaukhamba Sanskrit Bhawan, Varanasi, India
- Shilpa LS, Prashanth AS. A Clinical Study on the efficacy of lavangadi ati and kaphaketu rasa in the management of kaphaja kasa wsr to chronic bronchitis. Journal of Ayurveda and Integrated Medical Sciences (ISSN 2456-2017 7: 2(3):38-42. 3110). 10.21760/jaims.v2i3.8207
- Shukla N. A critical review study of prakriti vighata chikitsa in management of chronic infection of alimentary tract annavaha srotas with special reference to role of sudarshana churna in management of viral B hepatitis. Journal of AYUSH. 2020 Jan 31;2(3):1-5. DOI: 10.37591/joayush.v2i3.1882
- Singh RH. editor. Chikitsa sthaanam, jwarachikitsitam. Charaka Samhita of Agnivesh: with Ayurvedadipika Commentary of Shri Chakrapanidutta 2011 (pp 407). Surbharati Prakashan, Jawaharnagar, Chaukhamba Varanasi, India
- Singh VA. Holistic approach to hepatitis-B induced osteoarthritis by ayurvedic management: a case report. International Journal of Green Pharmacy (IJGP). 2016 Feb 10:9(4).

- standardization of chitrak haritaki avaleha. Int J Pharm Biol Arch[Internet]. 2015;6:12-6. Available from: https://www.ijpba.info/ijpba/index.php/ijpba/article/view/ 1420
- Suresh Gupta M, Shivaprasad HN, Kharya MD, Rana AC. Immunomodulatory activity of the ayurvedic formulation ashwagandha churna. Pharmaceutical biology[Internet]. 2006 Jan 1;44(4):263-5. DOI:10.1080/13880200600713949
- Tarkiba. Singhadurbar Vaidhyakhana Vikas Samiti, Ministry of Health and Population, Government of Nepal, 2052 BS
- Tavhare SD, Nishteswar K. Collection practices of medicinal plants-Vedic, ayurvedic and modern perspectives. International Journal of Pharmaceutical and Biological Archives[Internet]. 2014;5(5). Corpus ID: 85594430
- Tripathi B. editor. Jwara chikitsa chikitsa sthan. Agnivesha-Charaka samhita 1999 6th edition reprint (chapter 3, pp 147-152). Chaukhamba Surbharati, Varanasi
- Tripathi B. editor. Jwara chikitsa chikitsa sthan. Agnivesha-Charaka samhita 1999 6th edition reprint (Chapter 3, Verse 210, pp 187). Chaukhamba Surbharati, Varanasi
- Verma NK, Singh AP, Roshan A. Standardization of ayurvedic preparation: a review, International Journal of Research in Pharmaceutical and Nano Sciences. 2019, 8(3):128-139. CODEN: IJRPJK
- WHO- international. Traditional, complementary and integrative medicine 2014. Available from: https://www.who.int/health-topics/traditional-complementary-and-integrative-medicine#tab=tab_1

- WHO-Asia pacific regional office. WHO supports scientifically proven traditional medicine. 2020 May 4. Available from: www.afro.who.int/news/who-supports-scientifically-proven-traditional-medicine?gclid=CjwKCAjwqpP2BRBTEiwAfpiD-zh-TjE2oBxtp_r5ToB_69J6KOvRENcRYQcz0uQDJHKCEgUWdCB0yRoCtxMQAvD BwE
- WHO-China. Report of the WHO-China joint mission on corona virus disease 2019 (COVID-19). Available from: www.who.int/docs/default-source/coronaviruse/who-china-joint-mission-on-covid-19-final-report.pdf
- WHO-international, Corona virus situation report #133 on 2020 June 1. Available from: www.who.int/docs/default-source/coronaviruse/situation-reports/20200601-covid-19-sitrep-133.pdf?sfvrsn=9a56f2ac_4
- Xie X, Zhong Z, Zhao W, Zheng C, Wang F, Liu J. Chest CT for Typical 2019-nCoV pneumonia: relationship to negative RT-PCR testing. Radiology[Internet]. 2020 Feb 12;200343 doi:10.1148/radiol.2020200343
- Xu B, Gutierrez B, Mekaru S, Sewalk K, Goodwin L, Loskill A, Cohn EL, Hswen Y, Hill SC, Cobo MM, Zarebski AE. Epidemiological data from the COVID-19 outbreak, real-time case information. Scientific data[Internet]. 2020 Mar 24;7(1):1-6. DOI:10.1038%2Fs41597-020-0448-0
- Zumla A, Chan JF, Azhar EI, Hui DS, Yuen KY. Corona viruses—drug discovery and therapeutic options. Nature reviews Drug discovery[Internet]. 2016 May 15(5):327. DOI: 10.1038/nrd.2015.37